

# ● PRINTER RUSH ●

(PTO ASSISTANCE)

|                                  |                                |                          |
|----------------------------------|--------------------------------|--------------------------|
| Application : <u>10/753711</u>   | Examiner : <u>HO</u>           | GAU : <u>2821</u>        |
| From: <u>T. McGill</u>           | Location: <u>(IDC)</u> FMF FDC | Date: <u>4-22-05</u>     |
| Tracking #: <u>epm 10/753711</u> |                                | Week Date: <u>4-4-05</u> |

| DOC CODE                                 | DOC DATE      | MISCELLANEOUS                                |
|--|---------------|--|
| <input type="checkbox"/> 1449            | _____         | <input type="checkbox"/> Continuing Data     |
| <input type="checkbox"/> IDS             | _____         | <input type="checkbox"/> Foreign Priority    |
| <input type="checkbox"/> CLM             | _____         | <input type="checkbox"/> Document Legibility |
| <input type="checkbox"/> IIFW            | _____         | <input type="checkbox"/> Fees                |
| <input type="checkbox"/> SRFW            | _____         | <input checked="" type="checkbox"/> Other    |
| <input type="checkbox"/> DRW             | _____         | <u>NOA 3-29-05</u>                           |
| <input type="checkbox"/> OATH            | _____         |  |
| <input type="checkbox"/> 312             | _____         |  |
| <input checked="" type="checkbox"/> SPEC | <u>1-8-04</u> |  |

[RUSH] MESSAGE: The instruction in the examiner's  
Amendment to page 11, line 3 of  
the specification does correspond  
with page 11 of specification.  
Thank you

[XRUSH] RESPONSE: Should be page 13, line 11, change  
"perturbation 30" to -- perturbation 36 --.  
Disregard comment regarding amendment to page 11, line 3.

INITIALS: HN for